

navoir

ELEMENTS



SCANEER


VENEER BLEND WITH CANE

6538

Realistic Texture

Natural textures.
Premium finishes.

SIZE : 10' X 4'
THICKNESS : 1.5 MM



MATERISL : CANE + VENNEN

ALSO AVAILABLE IN : 8' X 4' | 9' X 4' AND ROLL




6539

Realistic Texture

Handcrafted in cane, finished in veneer.

SIZE : 10' X 4'
THICKNESS : 1.5 MM



MATERIAL : CANE + VENEER

ALSO AVAILABLE IN : 8' X 4' | 9' X 4' AND ROLL




6540

Realistic Texture

Nature wrapped in modern veneer

SIZE : 10' X 4'
THICKNESS : 1.5 MM

MATERIAL : CANE + VENEER




ALSO AVAILABLE IN : 8' X 4' | 9' X 4' AND ROLL

6541

Realistic Texture

Textured cane.
Timeless veneer

SIZE : 10' X 4'
THICKNESS : 1.5 MM



MATERISL : CANE + VENNER

ALSO AVAILABLE IN : 8' X 4' | 9' X 4' AND ROLL




6542

Realistic Texture


A fusion of craft and nature

SIZE : 10' X 4'
THICKNESS : 1.5 MM

MATERIAL : CANE + VANNER



ALSO AVAILABLE IN : 8' X 4' | 9' X 4' AND ROLL




SIZE:– 10' X 4' (**REGULAR**) (8' X 4' I 9' X 4' & ROLL **BY ORDER**)

THICKNESS:– 1.5 MM

MATERIAL:– CANE+VENEER

RECOMMENDED BLADE FOR CUTTING

Diamond cutting blade. Diamond cutting tools.



NOTE

- शीट प्राप्त करने के बाद सबसे पहले डिजाइन और रंग की सही जांच कर लें उसके बाद ही कटिंग या पेस्टिंग करें। अगर बिना जांचे कटिंग या पेस्टिंग की गई है और डिजाइन या रंग गलत है तो शीट चेंज नहीं होगी ।
- दिवार रंगने या फर्नीचर पर लगाने से पहले लैमिनेट शीट को पूरी तरह से ढककर रखें ताकि उस पर रंग की बूंदें या ग्लू न गिरे। अन्यथा, रंग की या ग्लू की बूंदें गिरने से शीट खराब होगी तो हम जिम्मेदार नहीं रहेंगे।
- SHEET को पलट कर काटना होता है। कटर, ब्लेड या लैमिनेट कटर से काटना है।
- पैकिंग में दी गई पॉलीथिन को SHEET के नीचे रखकर शीट को काटना है।
- सैंपल और शीट के कलर्स में मामूली बदलाव रहेगा।
- SIDE की EDGE वीडियो देखकर काटना है और उसको अच्छे से पेक करें ताकि खुले नहीं ।

CUTTING RECOMMENDATIONS

For precise cutting of fabric or leather laminates, we recommend using a 40 teeth Diamond Cutter Blade. Opt for Diamond cutting tools for best results.

CHOICE OF ADHESIVE

You have the flexibility to choose between Fevicol, ProBond or Easy Spray adhesives according to your preference.

FURTHER INFORMATION & SAMPLES

For additional details and sample requests, please contact us.

IMPORTANT NOTES

- No guarantees or exchange under any circumstances.
 - Colour variation may occur between material batches. Using the same batch material is recommended to maintain consistent colours.
 - The actual colour of the laminate sheet may differ from this brochure due to factors such as high humidity, plywood with high moisture content, uneven surface of the substrate, inferior adhesive quality, or insufficient pressure during bonding. Please note that any delamination or applying the sheet won't be addressed, as these issues often result from inadequate pressing during the application process.
-

DISCLAIMER

This information is for reference only. We do not guarantee its accuracy or completeness, nor the product properties. Design and application suitability should be determined with professional advisers. We may update product descriptions and determine defect insubstantiality at our discretion.