

navabir
ELEMENTS

MS'SHINE®

ACRILICO



SIZE : 8' X 2'

5 5 6



5 5 7



THICKNESS : 1MM




SIZE : 8' X 2'


5 5 8



5 5 9



THICKNESS : 1MM



SIZE : 8' X 2'

560



561




THICKNESS : 1MM



SIZE : 8' X 2'

562



563



THICKNESS : 1MM



SIZE : 8' X 2'

5 3 1




5 3 2



THICKNESS : 1MM




SIZE : 8' X 2'



5 3 3

5 3 4




THICKNESS : 1MM






SIZE : 8' X 2'



535

536




THICKNESS : 1MM





SIZE : 8' X 2'

5 3 7



5 3 8





THICKNESS : 1MM



SIZE : 8' X 2'

539




540


THICKNESS : 1MM

SIZE : 8' X 2'

5 4 1



5 4 2




THICKNESS : 1MM




SIZE : 8' X 2'

5 4 3




5 4 4



THICKNESS : 1MM

SIZE : 8' X 2'

5 4 5



5 4 6



THICKNESS : 1MM



SIZE : 8' X 2'

5 4 7



5 4 8



THICKNESS : 1MM

SIZE : 8' X 2'

549



550



THICKNESS : 1MM



SIZE : 8' X 2'

551



552



THICKNESS : 1MM



SIZE : 8' X 2'

553



554



THICKNESS : 1MM



SHINE[®]
ACRILICO

SIZE : 8' X 2'

555



THICKNESS : 1MM



SIZE:- 8' X 2' | THICKNESS:- 1.5 MM
MATERIAL:- ACRYLIC

RECOMMENDED BLADE FOR CUTTING
Diamond cutting blade. Diamond cutting tools.



40 TEETH
CUTTER BLADE

NOTE

- शीट प्राप्त करने के बाद सबसे पहले डिजाइन और रंग की सही जांच कर लें उसके बाद ही कटिंग या पेस्टिंग करें। अगर बिना जांचे कटिंग या पेस्टिंग की गई है और डिजाइन या रंग गलत है तो शीट चेंज नहीं होगी ।
- दिवार रंगने या फर्नीचर पर लगाने से पहले लैमिनेट शीट को पूरी तरह से ढककर रखें ताकि उस पर रंग की बूंदें या ग्लू न गिरे। अन्यथा, रंग की या ग्लू की बूंदें गिरने से शीट खराब होगी तो हम जिम्मेदार नहीं रहेंगे।
- **SHEET** को पलट कर काटना होता है। कटर, ब्लेड या लैमिनेट कटर से काटना है।
- पैकिंग में दी गई पॉलीथिन को **SHEET** के नीचे रखकर शीट को काटना है।
- सैंपल और शीट के कलर्स में मामूली बदलाव रहेगा।
- शीट में बबल आने की जवाबदारी हमारी नहीं रहेगी ।

DON'T USE ABRO TAPE
USE ONLY EASY SPRAY



CUTTING RECOMMENDATIONS

For precise cutting of fabric or leather laminates, we recommend using a 40 teeth Diamond Cutter Blade. Opt for Diamond cutting tools for best results.

CHOICE OF ADHESIVE

You have the flexibility to choose between Fevicol or Easy Spray adhesives according to your preference. **Don't use Abro tape.**

FURTHER INFORMATION & SAMPLES

For additional details and sample requests, please contact us.

IMPORTANT NOTES

- No guarantees or exchange under any circumstances.
 - Colour variation may occur between material batches. Using the same batch material is recommended to maintain consistent colours.
 - The actual colour of the laminate sheet may differ from this brochure due to factors such as high humidity, plywood with high moisture content, uneven surface of the substrate, inferior adhesive quality, or insufficient pressure during bonding. Please note that any delamination or applying the sheet won't be addressed, as these issues often result from inadequate pressing during the application process.
-

DISCLAIMER

This information is for reference only. We do not guarantee its accuracy or completeness, nor the product properties. Design and application suitability should be determined with professional advisers. We may update product descriptions and determine defect insubstantiality at our discretion.