


about us

navkar
ELEMENTS

NAVkar is a leading brand offering best in class furniture Decoratives. The company has attained the technology prowess and expertise It offers a variety of Products having unique features like innovative designs and distinctive patterns. Keeping the needs of architects and designers in mind, we have created this folder to portray an assembly of modern and trendy Acrylic lamiantes suiting the needs of a classic attic and even contemporary abodes.



SOLID LOOK

Bright, it's simple as that!






VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC


navabir
ELEMENTS



VR 236 G



VR 1129 G



VR 1105 G



1.5mm
THICKNESS



TERMITE &
BORER FREE



ANTI YELLOW
PROTECT FROM
SUNLIGHT



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.



VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC

navabir
ELEMENTS



VR 237 G



VR 1171 G



VR 1175 G

1.5mm
THICKNESS

TERMITE &
BORER FREE

ANTI YELLOW
PROTECT FROM
SUNLIGHT

LIGHT
WEIGHT

DURABILITY
& STRENGTH

IDEAL FOR
VERTICAL
APPLICATION

WATER &
STAIN PROOF

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.




VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC


navabir
ELEMENTS



VR3708G



VR1168 G



VR1103 G



1.5mm
THICKNESS



TERMITE &
BORER FREE



ANTI YELLOW
PROTECT FROM
SUNLIGHT



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.




SOLID LOOK

Sheet Size: 1220mm x 2440mm (4ft x 8 ft)


VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC

navabir
ELEMENTS



VR 1101 G



VR 1102 G



VR 1113 G



VR 1135 G

1.5mm
THICKNESS

TERMITE &
BORER FREE

ANTI YELLOW
PROTECT FROM
SUNLIGHT

LIGHT
WEIGHT

DURABILITY
& STRENGTH

IDEAL FOR
VERTICAL
APPLICATION

WATER &
STAIN PROOF

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.




SOLID LOOK

Sheet Size: 1220mm x 2440mm (4ft x 8 ft)

VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC

navabir
ELEMENTS



VR 1105 G



VR 1129 G



VR 1107 G



VR 1162 G

1.5mm
THICKNESS

TERMITE &
BORER FREE

ANTI YELLOW
PROTECT FROM
SUNLIGHT

LIGHT
WEIGHT

DURABILITY
& STRENGTH

IDEAL FOR
VERTICAL
APPLICATION

WATER &
STAIN PROOF

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.




SOLID LOOK

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC

navabir
ELEMENTS



VR 1106 G



VR 1108 G



VR 1128 G



VR 1159 G

1.5mm
THICKNESS

TERMITE &
BORER FREE

ANTI YELLOW
PROTECT FROM
SUNLIGHT

LIGHT
WEIGHT

DURABILITY
& STRENGTH

IDEAL FOR
VERTICAL
APPLICATION

WATER &
STAIN PROOF

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.



SOLID LOOK

Sheet Size: 1220mm x 2440mm (4ft x 8 ft)

VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC

navabir
ELEMENTS



VR 1115 G



VR 1177 G



VR 1171 G



VR 1175 G

1.5mm
THICKNESS

TERMITE &
BORER FREE

ANTI YELLOW
PROTECT FROM
SUNLIGHT

LIGHT
WEIGHT

DURABILITY
& STRENGTH

IDEAL FOR
VERTICAL
APPLICATION

WATER &
STAIN PROOF

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.



SOLID LOOK

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC

navcir
ELEMENTS




VR 1130 G



VR 1179 G



VR 1180 G



VR 1194 G

1.5mm
THICKNESS

TERMITE &
BORER FREE

ANTI YELLOW
PROTECT FROM
SUNLIGHT


LIGHT
WEIGHT

DURABILITY
& STRENGTH

IDEAL FOR
VERTICAL
APPLICATION

WATER &
STAIN PROOF


There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.




VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC


navabir
ELEMENTS



VR 1156 G




VR 1165 G



VR 1168 G



VR 1195 G




VR 36866 G

LOUVE OF THE
COLOR RANGE



There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.



SPARKLE METALLIC LOOK

Something special in the sparkle & metallic we bring to life





SPARKLE LOOK

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC

navcir
ELEMENTS



VR 2232 G



VR 2201 G



VR 2225 G



VR 2227 G

1.5mm
THICKNESS

TERMITE &
BORER FREE

ANTI YELLOW
PROTECT FROM
SUNLIGHT

LIGHT
WEIGHT

DURABILITY
& STRENGTH

IDEAL FOR
VERTICAL
APPLICATION

WATER &
STAIN PROOF

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.




SPARKLE LOOK

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)


VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC

navabir
ELEMENTS



VR 2223 G



VR 4483 G

PERSPECTIVE OF COLORS

Create the lifestyle according
your imagination with colours



1.5mm
THICKNESS

TERMITE &
BORER FREE

ANTI YELLOW
PROTECT FROM
SUNLIGHT

LIGHT
WEIGHT

DURABILITY
& STRENGTH

IDEAL FOR
VERTICAL
APPLICATION

WATER &
STAIN PROOF

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.




VERTICAL LOOK

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC

navcir
ELEMENTS



VR 3302 G



VR 3303 G



VR 3321 G



VR 3327 G

1.5mm
THICKNESS

TERMITE &
BORER FREE

ANTI YELLOW
PROTECT FROM
SUNLIGHT

LIGHT
WEIGHT

DURABILITY
& STRENGTH

IDEAL FOR
VERTICAL
APPLICATION

WATER &
STAIN PROOF

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.



MIRROR LOOK

Necessity for your life.



MIRROR LOOK

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

VORK 6H GRADE ACRYLIC SHEET

100% PURE
ACRYLIC

navcir
ELEMENTS



SILVER



ROSE GOLD



GOLD



BRONZE

1.5mm
THICKNESS

TERMITE &
BORER FREE

ANTI YELLOW
PROTECT FROM
SUNLIGHT

LIGHT
WEIGHT

DURABILITY
& STRENGTH

IDEAL FOR
VERTICAL
APPLICATION

WATER &
STAIN PROOF

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the acrylic sheet may vary from this brochure.

APPLICATION



KITCHEN



FURNITURE



BATHROOM



COMMERCIAL



HEALTHCARE



RESTAURANTS

FAQS

REASONS FOR AIR BUBBLE FORMATIONS ON ACRYLIC SHEETS



ACRYLIC ARE BONDED IN EXTREMELY HUMID CONDITIONS



USE OF WATER BASE SYNTHETIC RESIN ADHESIVE ANY OTHER THE PEVA (POLYETHYLENE VINYL ACETATE CO-POLYMER)



WHEN SUBSTRATE LOSES MOISTURE AFTER INSTALLATION



DEBONDING IN CERTAIN AREAS BECAUSE OF UNEVEN SUBSTRATE SURFACE



INSUFFICIENT OR LACK OF PRESSING DURING THE BONDING PERIOD OF LAMINATE




USE OF EXTREMELY LARGE ACRYLIC PVC LAMINATE SHEETS (MORE THAN 8 FT X 2 FT LONG)

ADVANCED FEATURES



SCRATCH RESISTANCE
LAMINATES THAT EXHIBIT EXTRAORDINARY FEATURES, APPLYING THESE SHEETS, BE ASSURED OF SCRATCH-FREE SURFACES.



1.5MM THICKNESS
EXHIBITING GREAT MECHANICAL & THERMAL PROPERTIES, INSTALLED OVER STURDY FLOORING, THESE LAMINATE SHEETS GET STURDY & LONG-LASTING.



UV PROTECTED
THE UV FILMS OFFER PROTECTION AGAINST MOISTURE, HANDLING AND ABRASION. THE COLOR CLARITY REMAINS CRISP & CLEAR OVER TIME.




TERMITE & BORER FREE
OUR LAMINATES ARE SPECIALLY TREATED TO ENSURE THEY REMAIN TERMITE AND BORER FREE FOR SEVERAL YEARS.

navabir
ELEMENTS

PARAMETERS	VARSU LAMINATES	HIGH GLOSS LAMINATE MICA	PU COATING / DUCO PAINT	BACK PAINTED GLASS
GLOSS LEVEL	>90	>70	>85	>85
SCRATCH PROOF	6H ANTISRACTCH	NO	NO	NO
COLOR CONSISTENCY	EXCELLENT	NOT GOOD	NOT GOOD	NOT GOOD
ORANGE PEEL	NO	YES	YES	YES
UV RESISTANCE	EXCELLENT	BAD	BAD	BAD
WATER RESISTANCE	EXCELLENT	BAD	BAD	EXCELLENT
DRY HEAT RESISTANCE	EXCELLENT	GOOD	BAD	BAD
VOLATILE ORGANIC COMPOUNDS (VOCS)	NO	YES	YES	YES



PANEL STRUCTURE




6H ANTISCRATCH COATING

ACRYLIC LAYER

GLUE LINE

PVC BASED FILM LAYER
PRIMER COATING



COPPER

LIMITED WARRANTY